

10/808,776

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9591	(lock\$3 with (push\$3 forc\$3) near2 (latch\$3 arm))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:01
L2	40	1 and ("455"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:02
L3	12	("2579878" "4751612" "4776553" "5157724" "5187744" "5825874" "5832082" "5862214").PN. OR ("5947359" "6091814").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 16:08
L4	27	(lock\$3 with (push\$3 forc\$3) near2 latch\$3) and "224"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:12
L5	778	(lock\$3 with (push\$3 forc\$3) near2 latch\$3) and "292"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:17
L6	172	(lock\$3 with (push\$3 forc\$3) near2 latch\$3) same (space groove recess) and "292"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:13
L7	38	(lock\$3 with (push\$3 forc\$3) near2 latch\$3) and (292/121.ccls. 292/163.ccls. 292/150.ccls. 292/145.ccls. 292/175.ccls. 292/302.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:18
L8	39	(lock\$3 with (push\$3 forc\$3) near2 latch\$3) and (292/121.ccls. 292/163.ccls. 292/150.ccls. 292/145.ccls. 292/175.ccls. 292/302.ccls. 292/303.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:22
L9	166	((lock\$3 adj mechanism) same (lock\$3 with latch\$3)) and (292/121.ccls. 292/163.ccls. 292/150.ccls. 292/145.ccls. 292/175.ccls. 292/302.ccls. 292/303.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:27

L10	60	((lock\$3 adj mechanism) same (lock\$3 with latch\$3)) and ("455"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:38
L11	12	("4231598" "4904549" "5028083" "5244755" "5634675" "5762512" "5851692" "5856038" "5869204" "5881823" "5895729" "5935729").PN. OR ("6660427").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/20 16:32
L12	163	((lock\$3 adj mechanism) same spring) and ("455"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 17:17
L13	50	((lock\$3 adj mechanism) with latch\$3) and ("455"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 17:18
S1	5933	((push\$3 squeez\$3 forc\$3) with (tab knob)) same (lock\$3 with spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 10:51
S2	187728	455/575.1.ccls 455/575.4.ccls. 455/575.8 "379"/\$.ccls. "292"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 10:51
S3	589	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 10:51
S4	258	455/575.1.ccls 455/575.4.ccls. 455/575.8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:00
S5	0	S1 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 10:51
S6	21941	((push\$3 squeez\$3 forc\$3) with (tab knob button)) same (releas\$3 with spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:00

S7	7	S6 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 10:54
S8	101970	"379"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 10:54
S9	260	S6 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 10:54
S10	14058	((push\$3 squeez\$3 forc\$3) with (tab knob button)) same (lock\$3 with spring)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:02
S11	6	S10 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:00
S12	47700	((push\$3 squeez\$3 forc\$3) with (tab knob button)) with spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:09
S13	13	S12 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:03
S14	81224	((push\$3 squeez\$3 forc\$3) with (tab knob button)) same spring	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:59
S15	776	S14 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:09
S16	1040	379/428.04.ccls. 379/433.11.ccls. 379/440.ccls. 379/437.ccls. 379/445.ccls. 379/433.12.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:11

S17	49	S16 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:11
S26	2	"20040189011"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 11:57
S27	8130	(tab knob button) same (rack with gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:01
S28	247	455/575.1.ccls 455/575.4.ccls. 455/575.8.ccls. 455/575.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:00
S30	66186	(tab knob button) same (gear)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:11
S31	2	S30 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:02
S32	4	(tab knob button) same (gear) and (battery with cover) and "455"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:46
S33	1	(tab knob button) same (battery with cover) and gear and "455"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:19
S34	2	(tab knob button) same (gear) and (battery with cover) and "379"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:19
S35	4	(tab knob button) same (gear) and (battery with cover) and "292"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:21

S36	3	(tab knob button) same (gear) and (battery with lock\$3) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:21
S37	15	("5628089" "5629979" "5819183" "5926545" "5960366" "5995373" "6035035" "6091965" "6192253" "6459890" "D466488" "D466879").PN. OR ("6549791").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 12:24
S38	21	(tab knob button) same (gear) and (lock\$3 with latch\$3) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:46
S39	18	(tab knob button) same (gear) and (lock\$3 with latch\$3) and "379"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:47
S40	76	((tab knob button) same (lock\$3 with latch\$3)) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:48
S41	10	((tab knob button) same (lock\$3 with latch\$3) same gear) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:48
S42	17	((tab knob button) same (lock\$3 with latch\$3)) and gear and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:49
S43	51	((tab knob button) with (lock\$3 latch\$3)) same gear and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:49
S44	51	((tab knob button) with (lock\$3 latch\$3)) same gear and "379"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 12:56
S45	5	("5555302" "5787168" "5903645" "6229893" "6438229").PN. OR ("6959899").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/16 12:53

S46	52	((tab knob button) with (spring near3 (lock\$3 latch\$3))) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 13:01
S47	62	((tab knob button) with (spring near3 (lock\$3 latch\$3))) and "379"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 13:03
S48	885	((tab knob button) with (spring near3 (lock\$3 latch\$3))) and "292"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 13:03
S49	29	((tab knob button) with (spring near3 (lock\$3 latch\$3))) and (phone telephone mobile) and "292"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 13:43
S50	35	((tab knob button) with (spring near3 (lock\$3 latch\$3 fix\$3))) and (phone telephone mobile) and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 13:45
S51	70	((tab knob button) with (spring near3 (lock\$3 latch\$3 fix\$3))) and (phone telephone mobile) and "379"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 13:49
S52	102	((tab knob button) with (spring near3 (lock\$3 latch\$3 fix\$3))) and gear and ("379"/\$.ccls. "455"/\$.ccls. "292"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 14:12
S53	1041	((tab knob button) with (spring near3 (lock\$3 latch\$3 fix\$3))) and ("379"/\$.ccls. "455"/\$.ccls. "292"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 13:51
S54	388	((tab knob button) with spring) same gear and ("379"/\$.ccls. "455"/\$.ccls. "292"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 14:11
S55	724	((tab knob button) with spring) same (telephone phone mobile) and ("379"/\$.ccls. "455"/\$.ccls. "292"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 14:11

S56	133	(tab knob button) with spring with (lock\$3 latch\$3 fix\$3) same gear and ("379"/\$.ccls. "455"/\$.ccls. "292"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 14:16
S57	392	(tab knob button) with spring with (lock\$3 latch\$3 fix\$3) and ("379"/\$.ccls. "455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 14:39
S58	5684	(spring with latch\$3) same ((button tab knob) near2 (push\$3 squeeze\$3 forc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 14:57
S59	90	S58 and ("455"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 15:03
S60	833	S58 and ("292"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 15:03
S61	44	S58 and ("292"/\$.ccls.) and (phone telephone mobile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/16 15:04
S62	2	"20020160255"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 13:07
S64	2	"5615250".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 13:37
S65	2	"5621618".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 13:52
S66	17976	(latch\$3 with lock\$3 with (push\$3 forc\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 13:54

S67	4256	(lock\$3 with (push\$3 forc\$3) near2 latch\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:10
S68	22	S67 and ("455"/\$.ccls. "379"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/20 16:02